

WHAT IS CLAIMED IS:

1. A print terminal comprising:
 - an image-capturing unit for capturing image data;
 - a first rotation-processing unit for rotating a print image to be used in printing the image data captured by the image-capturing unit;
 - a second rotation-processing unit for rotating a print-medium image to change the orientation of a print medium to be used in printing the image data captured by the image-capturing unit; and
 - a third rotation-processing unit for simultaneously rotating both the print image and the print-medium image.
2. The print terminal according to Claim 1, wherein the third rotation-processing unit rotates the print image and the print-medium image by 90 degrees.
3. The print terminal according to Claim 1, wherein the first rotation-processing unit rotates the print image by 90 degrees or less.
4. The print terminal according to Claim 1, further comprising a reader for reading the image data from a recording medium, wherein the image-capturing unit captures

the image data read by the reader.

5. A print system comprising:

a print terminal including

an image-capturing unit for capturing image data;

a first rotation-processing unit for rotating a print image to be used in printing the image data captured by the image-capturing unit;

a second rotation-processing unit for rotating a print-medium image to change the orientation of a print medium to be used in printing the image data captured by the image-capturing unit; and

a third rotation-processing unit for simultaneously rotating both the print image and the print-medium image; and

a printer for printing the image data processed by the print terminal on the print medium.

6. A computer-readable storage medium storing a program for implementing the functions comprising:

an image-capturing function for capturing image data;

a first rotation-processing function for rotating a print image to be used in printing the image data captured by the image-capturing function;

a second rotation-processing function for rotating a

print-medium image to change the orientation of a print medium to be used in printing the image data captured by the image-capturing function; and

a third rotation-processing function for simultaneously rotating both the print image and the print-medium image.

7. A program for enabling computers to implement the functions comprising:

an image-capturing function for capturing image data;

a first rotation-processing function for rotating a print image to be used in printing the image data captured by the image-capturing function;

a second rotation-processing function for rotating a print-medium image to change the orientation of a print medium to be used in printing the image data captured by the image-capturing function; and

a third rotation-processing function for simultaneously rotating both the print image and the print-medium image.